


LANTERN[™] 2

PENDANT

THE SLIP-CAST PORCELAIN FORMS OF THE LANTERN SERIES FLOAT ALONG A RIGID BRASS STRUCTURE. THEIR GLOW IS PUNCTUATED BY FINELY INCISED FLUTING, CONNECTING TO THE MOST ESSENTIAL ELEMENT OF HISTORICAL LANTERNS - LIGHT PASSING THROUGH A DELICATE PROTECTIVE FORM. REPEATING SPHERES ACT AS A COUNTERPOINT TO THE SIZEABLE SHADES.



$LANTERN^{TM}$ 2

PENDANT

DIMENSIONS: 37" W, 9" D HEIGHT TO ORDER MINIMUM HEIGHT: 44" INCLUDES UP TO 85" APPROXIMATE WEIGHT: 75 LBS

LAMPING: MAX 60W EACH 6 DIMMABLE LED BULBS INCLUDED 120V: E12 TYPE A26 BULBS, 4.6W 240V: E14 TYPE B40 BULBS, 8W

UL / CE APPROVED VOLTAGE: 120-240







LANTERN[™] 3

PENDANT

THE SLIP-CAST PORCELAIN FORMS OF THE LANTERN SERIES FLOAT ALONG A RIGID BRASS STRUCTURE. THEIR GLOW IS PUNCTUATED BY FINELY INCISED FLUTING, CONNECTING TO THE MOST ESSENTIAL ELEMENT OF HISTORICAL LANTERNS - LIGHT PASSING THROUGH A DELICATE PROTECTIVE FORM. REPEATING SPHERES ACT AS A COUNTERPOINT TO THE SIZEABLE SHADES.



← 6.5" ≯



LANTERN[™] 3

PENDANT

DIMENSIONS: Ø 32" WEIGHT: APPROX. 100 LBS HEIGHT TO ORDER MINIMUM HEIGHT: 44" INCLUDES UP TO 85" APPROXIMATE WEIGHT: 100 LBS

LAMPING: MAX 60W EACH 9 DIMMABLE LED BULBS INCLUDED 120V: E12 TYPE A26 BULBS, 4.6W 240V: E14 TYPE B40 BULBS, 8W

UL / CE APPROVED VOLTAGE: 120-240

APPARATUS






LANTERN[™] 1

PENDANT

THE SLIP-CAST PORCELAIN FORMS OF THE LANTERN SERIES FLOAT ALONG A RIGID BRASS STRUCTURE. THEIR GLOW IS PUNCTUATED BY FINELY INCISED FLUTING, CONNECTING TO THE MOST ESSENTIAL ELEMENT OF HISTORICAL LANTERNS - LIGHT PASSING THROUGH A DELICATE PROTECTIVE FORM. REPEATING SPHERES ACT AS A COUNTERPOINT TO THE SIZEABLE SHADES.



 $LANTERN^{TM}$ 1

PENDANT

DIMENSIONS: Ø 9" HEIGHT TO ORDER MINIMUM HEIGHT: 31" INCLUDES UP TO 60" APPROXIMATE WEIGHT: 20 LBS

LAMPING: MAX 60W EACH 3 DIMMABLE LED BULBS INCLUDED 120V: E12 TYPE A26 BULBS, 4.6W 240V: E14 TYPE B40 BULBS, 8W

UL / CE APPROVED VOLTAGE: 120-240

APPARATUS